

HANGING TOOLS

ANCHORING

ROLL LIFTER



Cat. No. 03001 (RL-42)

- The ORIGINAL Roll Lifter
- All steel heavy-duty construction
- Original patented roller-wheel design holds wallboard tight to wall for accurate nailing
- Toe kick for easy placement
- Durable powder coat finish
- Dimensions: 2-1/4" x 15" / Weighs 2-1/4 lbs.

POWER TOOLS & ACCESSORIES

CONTRACTOR SUPPLY

DRYWALL SUPPLY & HAND TOOLS

UTILITY SAWS



Cat. No. 04-001 (US-71)

- The ORIGINAL Drywall Saw
- 6" High carbon steel blade with chisel point to penetrate wallboard
- Aggressive tooth design cuts smoothly and stays sharper longer
- Wood handle for comfort and durability
- Blade Thickness: .070" / Length: 6"

Cat. No. 04-002 (IS-50)

- Durable 6" high carbon steel blade with chisel point to penetrate wallboard
- Chisel style teeth cut smooth and stay sharper longer
- Wood handle for comfort and durability
- Blade Thickness: .062" / Length: 6"

DRYWALL SAW

Cat. No. 06-001 (DS-15)



- Extra stiff high carbon blade with coarse teeth
- Tapered nose for easy drywall penetration
- Two piece sonic welded high impact plastic handle
- Blade Thickness: .060" / Length: 15"

ADHESIVES & SEALANTS

AIR & GAS NAILERS

FASTENERS

CIRCLE CUTTER




Cat. No. 08-001 (AC-31)

- The ORIGINAL Circle Cutter
- Cuts clean circles up to 16" in diameter
- Heat treated scoring blade
- Sharp center point
- Calibrated steel shaft for precise cuts
- Genuine Wal-Board® repair parts available
- Carded
- Overall Length: 8-1/2"

T-SQUARE

Cat. No. 09-001 (TS-31)

- The ORIGINAL Drywall T-Square
- Heat treated aluminum construction
- Clear Anodized Finish
- Cross-head is angled for added strength
- Aircraft alloy steel rivets attach head to blade
- Reverse ruled blade for precise measurements in either direction
- Head is calibrated to make accurate 16" stud measurements
- Blade Dimensions: 3/16" x 47-7/8"



ALUMINUM BENCH

Cat. No. 31-016 (W-1832)



- High strength aluminum alloy construction
- Legs adjust separately every 2" by squeezing wishbone spring and releasing at desired height
- Rubber feet (replaceable) to prevent slipping
- Steel parts are zinc plated for long life
- Genuine Wal-Board® extension legs
- MAXIMUM LOAD IS 400 LBS.
- Weight: 33 lbs. / Height: 18" to 30" / Top Dim.: 9-1/2" x 48"

MAMARONECK
New York

Ph: 914-777-3245
Fx: 914-777-3875

ISLANDIA
Long Island

Ph: 631-234-0740
Fx: 631-234-0686

BENSALEM
Pennsylvania

Ph: 215-244-1545
Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS



DRYWALL TOOLS

CORNERBEAD TOOL



- Attaches cornerbead to drywall by crimping metal, reducing the number of nails required to attach cornerbead
- Durable aluminum body
- All steel crimping assembly
- Heat treated crimping blades
- Genuine Wal-Board® Repair kits and mallets available

Cat. No.	Description	Size Bead
71-002 (CO-2A)	Tool w/ Mallet	1-1/4"
71-012 (CO-2-LM)	Tool Only/No Mallet	1-1/8"
71-004 (CP-M)	Rubber Mallet Only	

DRYWALL TAPING TOOLS

HAMMER-END KNIFE



- High carbon steel blades uniformly tapered for proper flex
- High impact, molded plastic handle with nailing head to set protruding drywall nails

Cat. No.	Blade
22-004 (HK-4)	4"
22-005 (HK-5)	5"
22-006 (HK-6)	6"

WESTERN STYLE QUICK MIXER



- Steel shaft with cast aluminum head
- Requires 1/2" drill with a minimum 6 amp motor and maximum of 800 RPM
- Blades designed to fold and mix material quickly
- Head Dimensions: 4 1/2" x 6 1/2"

Cat. No.	Overall Length
43-001 (QM-24)	24"
43-002 (QM-36)	36"

PUTTY KNIFE



- High carbon steel blades uniformly tapered for proper flex
- High impact, molded plastic handle

Cat. No.	Blade
22-001 (PK-1)	1-1/4"
22-002 (PK-2)	2"
22-003 (PK-3)	3"

FINISH / SANDING TOOLS

HAND SANDER



Cat. No. 34-002 (HS-66)

- Professional quality, tempered aluminum base plate
- Wood handle with plenty of knuckle room
- Polyethylene pad
- Clamp design allows several sheets of die cut sandpaper to be held at once
- Dimensions: 3-1/4" x 9-1/4"

UNIVERSAL POLE SANDER



Cat. No. 35-001 (AS-22)

- Die cast aluminum base plate 3 1/4" x 9 1/4" with reinforced ridges to prevent "bowing"
- Universal joint with low center of gravity
- Polyethylene pad
- 48" hardwood handle (replaceable with steel cap for setting nails)
- Wing nut clamp design allows several sheets of die cut sandpaper to be held at once

ANCHORING

POWER TOOLS
& ACCESSORIES


CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS


FASTENERS



HARRINGTON DRYWALL & PLASTER TOOLS

ANCHORING

HOMEOWNER NOTCHED TILE SETTING TROWEL




Cold rolled steel with PATENTED channel shank. Polypropylene molded shank and "SURE-GRIP LIFETIME" handle. The strongest lightweight adhesive spreader available.

Cat. No.	Size
110	11" x 4-1/2"

POWER TOOLS & ACCESSORIES

CONTRACTOR SUPPLY

SPONGE RUBBER KNEE PADS




Eliminates sore knees and make work easier. Excellent for cement workers, roofers, painters and many other uses. Top quality. Strap and buckles included.

Cat. No.	Description
5KP	Sponge Rubber Knee Pads

DRYWALL SUPPLY & HAND TOOLS

HEAVY DUTY FLOOR SCRAPER



Sturdy scraper comes with steel handle.

Cat. No.	Size	Description
114S	15" x 15"	Floor Scraper With Steel Handle

ADHESIVES & SEALANTS

AIR & GAS NAILERS

SPONGE RUBBER FLOAT




Best natural sponge rubber with guaranteed adhesion. Beveled edges and continuous beading. Contoured hardwood handle with metal back.

Cat. No.	Size	Cell
5AF	9-1/2" x 4" x 1/2"	Fine

FASTENERS

HOMEOWNER PLASTER TROWEL


The strongest lightweight trowel available. Polypropylene shank attached by a patented channel also has the "SURE-GRIP LIFETIME" handle.



Cat. No.	Size
110	11" x 4-1/2"

PLASTIC MUD PAN

This double-bladed mud pan features the heaviest gauge construction available. Bottom feet prevent suctioning when set on a wet surface. Has loop hole for hanging.



Cat. No.	Size
PMP13	13"

GALVANIZED MUD PAN


Economical enough or the homeowner and sturdy enough for the pro. Heavy duty galvanized steel will give long wear.



Cat. No.	Size
4MP13	13"

ALUMINUM HAWKS

Heavy duty aluminum designed to give long wear. Shank is secured with six rivets. Strong yet lightweight. Has a SOLID Polypropylene handle which is much superior to those with a hollow handle. Includes handle and pad.



Cat. No.	Size
15A	13-1/2" x 13-1/2"
15B	13" x 13"
15D	12" x 12"
15E	8" x 8"
15F	10" x 10"
15C	Callous Preventer Hawk Handle
15H	

PLASTIC LAMINATE SCORING CUTTER


Handle is contoured for correct grip. Reversible double ended blade is carbide-tipped to allow an easy break along score line. Ideal for use on all plastic laminates as well as wonder board. Perfect for both professionals and do-it-yourselfers.



Cat. No.	Description
SC3	Scoring Cutter

HAND SANDER

Made of lightweight, yet virtually indestructible polypropylene with "SURE-GRIP LIFETIME" handle. This durable hand sander is the best value in the industry. Steel clamps with thumb screws makes changing paper a snap and keep it tight. Holds up to 10 sheets at a time.



Cat. No.	Size
HS22	9-1/2" x 3-1/2"

DRYWALL SAW

Heavy duty 16" hardened and tempered steel blade with 5 teeth per inch gives a perfect and rapid cut every time. "SURE-GRIP LIFETIME" handle.



Cat. No.	Size
HS16	16"

UTILITY SAW



"SURE-GRIP LIFETIME" handle on a 6" heavy duty blade with beveled teeth make this tool an all-purpose favorite and not just a drywall man's aid.

Cat. No.	Size
6KS	11-1/2" x 6"

MAMARONECK

New York

Ph: 914-777-3245

Fx: 914-777-3875

ISLANDIA

Long Island

Ph: 631-234-0740

Fx: 631-234-0686

BENSALEM

Pennsylvania


Ph: 215-244-1545

Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS

HARRINGTON DRYWALL & PLASTER TOOLS


CIRCLE CUTTER



Cuts sharp, clean, round holes up to 16" in diameter quickly and easily. Case-hardened steel cutting blade cuts wallboard perfectly. Stays sharp indefinitely! 1/8" calibration insures accuracy.

Cat. No.	Description
CC16	Circle Cutter

DRYWALL TAPE REEL




Extra heavy gauge steel for long wear. E-Z belt hanger with E-Z replacement features. Holds 500' Roll.

Cat. No.	Description
TR10	Drywall Tape Reel

SUPERLITE DRYWALL KNIVES

The most requested drywall knife in the industry. Lightweight "SURE-GRIP LIFE-TIME" handle anchors the highest grade blue spring steel blade ensuring the highest performance standards demanded by professionals. Comes in a pack of 6.



Cat. No.	Size	Cat. No.	Size
6DWK	6"	14DWK	14"
8DWK	8"	16DWK	16"
10DWK	10"	18DWK	18"
12DWK	12"	Also in stainless steel. Specify with "S." Example 6DWKS.	



DURA-STILTS® DURA-III ADJUSTABLE STILTS

Recognized as the ultimate icon of modern stilt designs with time proven reliability, Dura-Stilts remain the best selling stilt in the industry. All Dura-Stilts components are serviceable or replaceable. Determine model sizes by setting to the shortest height and measuring the distance from the floor to the top of the footplate.

Model 2440
24" TO 40"

Model 1830
18" TO 30"

Model 1422
14" TO 22"



CAULKING GUNS

MODEL 77 1/10 GAL. RATCHET ROD CRADLE



- 5:1 Thrust Ratio
- All Steel Welded Construction

MODEL 215 1/4 GAL. SUPER RATCHET ROD



- 6:1 Thrust Ratio
- Seal Puncture Tool
- Built-In Spout Cutter
- Ladder Hook
- No Pinch Finger Guard



LINOLEUM KNIVES



X-752



X-752-1/2
Fits flush in corners

- High carbon tool steel
- Long point
- Glaze finish
- Dark varnished riveted handle

Cat. No.	Blade Length	Millimeter
X752	3-1/2"	89
X752-1/2	2-1/2"	64

VALUE ADDED SERVICES...

- Large Inventories
- Servicing the Sale

ANCHORING

POWER TOOLS & ACCESSORIES


CONTRACTOR SUPPLY

DRYWALL SUPPLY & HAND TOOLS

ADHESIVES & SEALANTS

AIR & GAS NAILERS

FASTENERS



IRWIN Industrial Tools **STRAIT-LINE**® **LAYOUT AND MARKING**

ALUMINUM CHALK REELS

Cat. No. 63950 (50 Feet)
Cat. No. 64110 (100 Feet)

- Heavy-duty case is constructed of durable aluminum alloy
- Steel plated hook and large grip anchor ring provide better holding power
- Retractable self-locking metal handle allows reel to be used as a plumb bob
- Twisted cotton line holds more chalk for multiple line strikes
- Holds approximately 2 oz. of chalk



SPEED-LINE CHALK REEL

Cat. No. 64310

- Retrieves chalk line 3-1/2 times faster than a standard chalk reel
- Crank handle clutch release allows release of the line without spinning the crank handle
- Lightweight ABS impact-resistant case increases durability
- Patented hook storage and door locking mechanism virtually eliminate spills and line tangles
- Twisted cotton line holds more chalk for multiple line strikes
- Holds approximately 2 oz. of chalk



SPEED-LINE PRO CHALK REEL

Cat. No. 2031318DS

- 3X Faster than traditional chalk reels
- 3.5:1 Gear ratio
- Metal handle
- Nylon/Polyester braided line
- Light-weight ABS plastic housing
- Wide pronged hook



MARKING CHALK

STANDARD

- Temporary marking chalk that provided great visibility

Cat. No.	Size	Color
64901	8 oz.	Blue
64904	8 oz.	White
65101	5 lb.	Blue
65104	5 lb.	White

HI-VISIBILITY

- Ideal for low light conditions and use on dark surfaces
- Use to show layout changes and conditions

Cat. No.	Size	Color
64903	8 oz.	Yellow Hi-Vis
65103	5 lb.	Yellow Hi-Vis

PERMANENT

- Weather resistant lines remain visible after weeks of weather, sun and jobsite wear and tear

Cat. No.	Size	Color
64902	8 oz.	Red
64908	8 oz.	Black
65102	5 lb.	Red
2032160	5 lb.	Black



ANCHORING

POWER TOOLS & ACCESSORIES

CONTRACTOR SUPPLY

DRYWALL SUPPLY & HAND TOOLS

ADHESIVES & SEALANTS

AIR & GAS NAILERS

FASTENERS

MAMARONECK

New York

Ph: 914-777-3245

Fx: 914-777-3875

ISLANDIA

Long Island

Ph: 631-234-0740

Fx: 631-234-0686

BENSALEM

Pennsylvania

Ph: 215-244-1545

Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS

Lufkin®

RULES & TAPES

ARCHITECT'S POCKET SCALE


- 1/8" and 1/4" scale
- Yellow clad blade
- W393 features automatic blade return
- 1/4 in. yellow steel blade has jet black markings
- Manual or automatic return operation available



Cat. No.	Blade Size Width	Blade Size Length	Shelf Pack
W393	1/4"	5'	6

BANNER®

- Rugged, vinyl covered steel case
- Yellow clad tape; .008 in./0.2 mm thick
- Nylon rollers guide the tape smoothly in and out of case
- "H" prefix denotes product blade is fitted with a folding hook ring
- Bold graduations with black and red numbers for accurate measuring



Cat. No.	Blade Size Width	Blade Size Length	Shelf Pack
HW223	3/8"	50'	6
HW226	3/8"	100'	6

HOME SHOP

- Vinyl covered steel case
- Yellow clad blade
- .005 in. thick
- Easy action winding drum with friction washers
- Fitted with a folding hook ring



Cat. No.	Blade Size Width	Blade Size Length	Shelf Pack
HW50	3/8"	50'	6
HW100	3/8"	100'	6

EMPIRE® LEVELS

ADJUSTABLE LAYOUT LEVEL 6'6" to 10'



- Transfer plum lines from floor to ceiling
- Extends 6'6" to 10'
- Use in setting steel studs and drywalling
- Magnetic edge adheres to ferrous surfaces



Cat. No.	Length	UPC Number	Inner Pack Lbs.	Qty
EM81.20	6'6" - 10'	00710-9	11.5	1


ROLATAPE® PROFESSIONAL SERIES

MEASURING WHEELS

MM-12

- Lightweight and compact
- Wide, precision molded tire
- Molded plastic measuring counter
- Safety-Green color
- Telescoping handle

MM-12



MM-12 TWIN

Stability and accuracy come together in the MM-12 Twin Series. The MM-12 Twin adds an additional wheel for greater stability and traction. Real estate agents, law enforcement officers, construction workers and contractors rely on the accuracy and balance of the MM-12 Twin.

- Dual wheel configuration
- 5-digit, push button reset counter
- Brass axle bushings
- Wide, precision molded tires
- Safety-Green color
- 3-piece telescoping handle

MM-12 TWIN

MM-30

- Silver powder coat steel wheel
- 5-digit, push button reset counter
- 3-foot / 1-meter circumference
- Wheel stand
- Brass axle bushings
- Safety-Green color
- Insert-and-Lock handle



MM-50

- Large 5-foot circumference wheel
- Silver powder coat steel wheel
- Brass axle bushings
- 5-digit, push button reset counter
- Insert-and-Lock handle



NOTE: Due to varying field conditions and operator usage, measuring wheels should only be used as estimating tools.

MAGNETIC MASTER CONTRACTOR™ LEVEL 24" - 48" - 78"



- Gold anodized frame
- Strong magnetic edge holds to ferrous surfaces
- Machined edges assure accuracy
- Acrylic vials are replaceable
- Heavy-duty I-beam frame with top read window
- Beveled end plates protect from shock



Cat. No.	Length	UPC Number
EM81.24	24"	88124-2
EM81.68*	48"	89168-5
EM81.78	78"	88178-5

* 48" Level with protective case

ANCHORING

POWER TOOLS & ACCESSORIES


CONTRACTOR SUPPLY

DRYWALL SUPPLY & HAND TOOLS

ADHESIVES & SEALANTS

AIR & GAS NAILERS

FASTENERS



STANLEY® HAND TOOLS

**FATMAX™
1-1/4" WIDE BLADE**

- 11' tape standout
- 1-1/4" wide blade for easy readability
- BladeArmor™ coating on the first 6" maximizes durability of hook end
- Mylar® polyester film extends life of entire blade
- High-impact ABS case with rubber over mold is jobsite tough
- Top-forward blade lock makes locking and unlocking a cinch
- 16" and 19.2" stud center markings simplify framing jobs
- Cushion grip provides comfortable, slip-resistant hold
- Specially designed hook grabs on side, top or bottom for versatility



Cat. No.	Description
33-725	1-1/4" x 25' Tape Rule
33-730	1-1/4" x 30' Tape Rule
33-735	1-1/4" x 35' Tape Rule

**ALUMINUM AND STEEL
CARPENTER'S SQUARES**



ALUMINUM

Cat. No. 45-300
Buffed finish high-quality aluminum for maximum durability with embossed graduations and figures for easy reading. Helpful reference conversion tables such as new lumber scale, decimal equivalent table, metric conversion table, formula for squaring a foundation, 45°, 60° and 30° angle markings, volume and area formulas, wood screw gauge table, nail sizes (common and finish), quantity per pound and depth scale. Protective lacquered coating resists corrosion.

STEEL

Cat. No. 45-500
Buffed finish high-quality hardened steel for durability and long life treated with a clear, protective finish that resists rust. Embossed graduations for easy reading on face and back and reverse reading scale makes measuring more efficient.

45-300	Buffed	24" x 2"	16" x 1-1/2"	1/8"	1/8"
45-500	Buffed	24" x 2"	16" x 1-1/2"	1/8"	1/8"

12" COMBINATION SQUARE

Cat. No. 46-222
Embossed hard-chrome blade is coated to resist rust. Built-in scribe comes in handy for surface marking. Easy-to-read vial and durable, black die-cast metal handle. Overall Length: 12"



FATMAX™ CHALK LINE REEL

- Cat. No. 47-140
- High capacity chalk reel holds up to 4 oz. of chalk
 - Water-resistant, high-impact ABS case with rubber grips
 - Rewinds 3x faster – has a 3:1 gear ratio
 - Quick gear release – crank will not spin when pulling out line
 - Two times stronger line, two times line abrasion resistance
 - Screw cap simplifies refilling
 - Stainless steel crank and hook
 - On board hook storage
 - Patented ChalkView™ – can see amount of chalk inside



UTILITY KNIVES



Cat. No.	Blade Type	Packaged
10-099	Retractable	6/box 72/carton
10-209	Fixed	6/box 72/carton
10-299	Fixed	6/box 72/carton
10-788	Retractable	6/box 72/carton
10-799	Fixed	6/box 72/carton

BLADE DISPENSER

Wall dispenser contains 100 utility knife blades. Dispenses one blade at a time for safety and convenience.

**11-911A
REGULAR
DUTY BLADE
DISPENSER
SHOWN**



Cat. No.	Description
11-911A	Regular Duty Blade Dispenser
11-921A	Heavy Duty Blade Dispenser
11-961A	Hook Blade Dispenser

**FATMAX™
6" JABSAW**



- 6" blade length
- Cuts on both push and pull strokes
- Cuts through wood, plastic and drywall
- Non-slip comfort grip

Height	1-1/2"
Length	12"
Width	1-1/2"
Blade Length	6.25"

Cat. No.	Description
20-556	FatMax™ Jabsaw

ANCHORING

POWER TOOLS
& ACCESSORIES

CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS

MAMARONECK

New York

Ph: 914-777-3245

Fx: 914-777-3875

ISLANDIA

Long Island

Ph: 631-234-0740

Fx: 631-234-0686

BENSALEM

Pennsylvania

Ph: 215-244-1545

Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS

STANLEY® HAND TOOLS

HICKORY HANDLE SLEDGE HAMMERS CONTRACTOR GRADE™



Forged steel head - hardened and tempered.
Faces machine finished.

Cat. No.	Weight	Head Length	Face	Handle Length
56-808	8	6-1/2"	2-1/4"	32"
56-810	10	7-1/8"	2-3/8"	34"
56-812	12	7-3/4"	2-1/2"	34"
56-816	16	8-1/2"	2-3/4"	34"

RUBBER Mallet

Tough rubber head is non-marring.
Head is molded to
lacquered hickory handle.



Cat. No.	Weight	Length
57-522	18 oz.	13-3/4"

PROFESSIONAL BALL PEIN HAMMERS



High carbon steel forged heads, hardened and tempered. Selected clear lacquered hickory handles. Polished face, poll and pein.

Cat. No.	Weight	O/A Length
54-004	4 oz.	10-7/8"
54-008	8 oz.	12-1/4"
54-012	12 oz.	13"
54-016	16 oz.	14"
54-024	24 oz.	15"
54-032	32 oz.	16"
54-040	40 oz.	16"
54-048	48 oz.	16"

NAIL SETS



Square head, round knurled body. Alloy steel hardened and tempered. Tips are cupped and chamfered. Square head prevents rolling. 4" overall length.

Cat No.	Tip	Square Stock Size	Cat. No.	Tip	Square Stock Size
58-111	1/32"	5/16"	58-113	3/32"	5/16"
58-112	3/32"	5/16"	58-114	4/32"	5/16"

RIPPING BARS



Forged from hexagonal tool steel for extra strength. Polished claw and chisel end. Beveled chisel end; slotted claw.

Cat No.	Size In.	Cat. No.	Size In.
55-118	5/8 x 18	55-130	3/4 x 30
55-124	3/4 x 24	55-136	3/4 x 36

WONDER BAR™ PRY BAR



Forged high carbon steel. Heat treated for extra toughness with polished and beveled cutting edges. Contoured bar is ideal for pulling nails, prying, lifting, scraping. Beveled nail slot both ends.

Cat. No.	Blade Width	Overall Width
55-515	1-3/4"	12-3/8"

100 PLUS® PHILLIPS SCREWDRIVERS



Precision machined black oxide tips for a precise fit.

Cat. No.	Blade Length	Blade Dia.	Tip Width	O/A Length
64-100	2-3/4"	1/8"	0	5-1/8"
64-101	3"	3/16"	1	6-3/4"
64-171	10"	3/16"	1	13-1/2"
64-102	4"	1/4"	2	8-1/4"
64-172	10"	1/4"	2	14-1/2"
64-103	6"	5/16"	3	11"
64-104	8"	3/8"	4	13-1/4"

100 PLUS® STANDARD BLADE AND TIP SCREWDRIVERS




Hex bolster allows use of an wrench for added torque.

Cat. No.	Blade Length	Blade Dia.	Tip Width	O/A Length
66-163	3"	7/32"	7/32"	6-3/4"
66-164	4"	1/4"	1/4"	8-1/4"
66-011	6"	1/4"	1/4"	10-1/4"
66-012	10"	1/4"	1/4"	14-1/4"
66-166	6"	5/16"	5/16"	11"
66-013	8"	5/16"	5/16"	13"
66-168	8"	3/8"	3/8"	13-1/4"
66-160	10"	3/8"	3/8"	15-1/4"
66-162	12"	3/8"	3/8"	17-1/4"

ANCHORING

POWER TOOLS
& ACCESSORIESCONTRACTOR
SUPPLYDRYWALL SUPPLY
& HAND TOOLSADHESIVES
& SEALANTSAIR & GAS
NAILERS

FASTENERS



STANLEY® HAND TOOLS

ANCHORING

**ADJUSTABLE
BLOCK PLANE**



Hand adjustable plane. Bottom ground, tempered steel cutter. Blue finish with cast-in finger rest. Red finish lever. To adjust cutter for thickness of shaving: loosen wheel, move cutter endwise as required.

Cat. No.	Length	Cutter Width
12-920	6"	1-5/8"

**SMOOTH BOTTOM
BENCH PLANES**



Cast iron bottom and sides are ground perfectly flat and true. Micro-adjustable mouth opening. Precision ground, replaceable cutter.

Cat. No.	Length	Cutter Width
12-903	9-1/4"	1-3/4"
12-904	9-3/4"	2"

POWER TOOLS
& ACCESSORIES

CONTRACTOR
SUPPLY

FATMAX™ SHORT BLADE CHISELS



- Hardened, tempered high-chrome carbon alloy steel blade for edge retention
- Precision ground blade is accurately sized and etched with blade size
- Patented, ergonomically designed, bi-material grip handle is break resistant
- Steel striking cap for use with steel-headed hammer
- Blade guard can be mounted to wall for home storage

Cat. No.	Width	Overall Length
16-973	1/4"	9"
16-974	3/8"	9"
16-975	1/2"	9"
16-976	5/8"	9"
16-977	3/4"	9"
16-978	1"	9"
16-979	1-1/4"	9"
16-980	1-1/2"	9"
16-981	2"	9"

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

This KNAACK® chest protected \$10,000 worth of survey equipment that was locked inside.

KNAACK Jobsite Storage Products keep your tools and equipment safe. For contractors and trade professionals worldwide, there really is no other choice. Demand the KNAACK brand.



See our full selection of
Knaack storage products on
pages 202 - 204

**CHECK OUT THE
ANTI-THEFT FEATURES**



AIR & GAS
NAILERS

FASTENERS

MAMARONECK
New York

Ph: 914-777-3245
Fx: 914-777-3875

ISLANDIA
Long Island

Ph: 631-234-0740
Fx: 631-234-0686

BENSALEM
Pennsylvania

Ph: 215-244-1545
Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS

Estwing STRIKING TOOLS

NAIL HAMMERS

NYLON-VINYL GRIP CLAW HAMMERS



Cat No.	Approx. Head Weight	Approx. Overall Length
E3-16C	16 oz.	13"
E3-20C	20 oz.	13-1/2"

NYLON-VINYL GRIP RIP HAMMERS



Cat No.	Approx. Head Weight	Approx. Overall Length
E3-16S	16 oz.	13"
E3-20S	20 oz.	13-1/2"

NYLON-VINYL GRIP FRAMING HAMMERS



MILLED FACE		
Cat No.	Approx. Head Weight	Approx. Overall Length
E3-20SM	20 oz.	13-1/2"
E3-22CMR	22 oz.	13-1/2"
E3-22SM	22 oz.	16"
E3-24SM	24 oz.	16"
E3-28SM	28 oz.	16"
E3-30SM	30 oz.	16"

SMOOTH FACE		
Cat No.	Approx. Head Weight	Approx. Overall Length
E3-22CR	22 oz.	13-1/2"
E3-22SR	22 oz.	13-1/2"
E3-22S	22 oz.	16"
E3-28S	28 oz.	16"

LEATHER GRIP RIP HAMMER



Cat No.	Approx. Head Weight	Approx. Overall Length
E20S	20 oz.	12-1/2"

LEATHER GRIP RIP HAMMER (ENGLISH PATTERN)



Cat No.	Approx. Head Weight	Approx. Overall Length
E24S	24 oz.	13-1/2"

DRYWALL HAMMER NYLON VINYL GRIP



MILLED FACE		
Cat No.	Approx. Head Weight	Approx. Overall Length
E3-11	14 oz.	13-1/2"

SPECIALTY HAMMERS

NYLON VINYL GRIP DRILLING HAMMERS



PAINTED FINISH		
Cat No.	Approx. Head Weight	Approx. Overall Length
B3-2LB	2 lbs.	10-1/2"
B3-3LB	3 lbs.	11"
B3-4LB	4 lbs.	11-1/2"

TINNERS HAMMERS



Cat No.	Approx. Head Weight	Approx. Overall Length
T3-12	12 oz.	11"
T3-18	18 oz.	12"

WOOD SPLITTING TOOLS

NYLON VINYL GRIP SPORTSMAN'S AXE (WITH SHEATH)



Cat No.	Approx. Cutting Edge	Approx. Overall Length
E3-24A	3-1/4"	14"

LEATHER GRIP SPORTSMAN'S AXE (WITH SHEATH)



Cat No.	Approx. Cutting Edge	Approx. Overall Length
E24A	3-1/4"	14"

HATCHETS

NYLON VINYL GRIP CARPENTER'S HATCHETS



Cat No.	Approx. Cutting Edge	Approx. Overall Length
E3-1H	3-1/8"	12"
E3-2H	3-5/8"	13"

LEATHER GRIP CARPENTER'S HATCHETS



Cat No.	Approx. Cutting Edge	Approx. Overall Length
E1H	3-1/8"	12"
E2H	3-5/8"	13"

ANCHORING

POWER TOOLS
& ACCESSORIES


CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS



CHANNEL LOCK PLIERS

CUTTING PLIERS

HAND HONED, PERFECTLY MATED CUTTERS
SCIENTIFICALLY HEAT TREATED TO HOLD THEIR EDGE
PRECISION MADE OF FINE POLISHED FORGED STEEL.

CHANNELLOCK BLUE™
DIPPED PLASTIC COMFORT GRIPS.



Cat. No. 308
Cat. No. 337
Lap Joint - Length 7"
Cat. No. 338
Lap Joint - Length 8"



Cat. No. 356
End Cutter - Length 6"
Cat. No. 357
End Cutter - Length 7"
Cat. No. 358
End Cutter - Length 8"



Cat. No. 435
Box Joint
Length 5"



Cat. No. 437
Box Joint
Length 7"



Cat. No. 447
Box Joint
Curved Diagonal - Length 7-3/4"

LINEMEN'S ELECTRICIANS' PLIERS


HEAVY DUTY, PRECISION MADE OF SPECIAL GRADE DROP FORGED STEEL. PERFECTLY MATED CUTTERS
ARE HAND HONED, PROPERLY HARDENED TO HOLD THEIR EDGE. CHANNELLOCK BLUE™ DIPPED PLASTIC COMFORT GRIPS.



Cat. No. 347
Rounded Nose Length 7"
Cat. No. 348
Rounded Nose Length 8"



Cat. No. 369
High Leverage
Rounded Nose
Length 9"



Cat. No. 3047
Bevel Nose
Length 7"
Cat. No. 3048
Bevel Nose
Length 8-1/2"

SLIP JOINT PLIERS

MADE OF FINE POLISHED DROP FORGED
STEEL. PERMALOCK FASTENERS.

CHANNELLOCK BLUE™
DIPPED PLASTIC COMFORT GRIPS.

Cat. No. 526
Wire Cutting Shear
Length 6"



ANCHORING

POWER TOOLS
& ACCESSORIES

CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS

MAMARONECK

New York

Ph: 914-777-3245

Fx: 914-777-3875

ISLANDIA

Long Island

Ph: 631-234-0740

Fx: 631-234-0686

BENSALEM

Pennsylvania

Ph: 215-244-1545

Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS

CHANNEL LOCK PLIERS

TONGUE AND GROOVE PLIERS

SMOOTH WORKING, AND MACHINED UNDERCUT MATING PARTS. PATENTED REINFORCING EDGE ALONG THE CHANNELS PROVIDES ADDED STRENGTH, ELIMINATES STRESS CONCENTRATION AT CHANNELS AND MINIMIZES BREAKAGE.



Cat. No. 415
Adjustments 7
Length 10"
Capacity 2"



Cat. No. 420
Adjustments 5
Length 9-1/2"
Capacity 1-1/2"



Cat. No. 422
Adjustments 5
Length 9-1/2"
Capacity 1-1/2"



Cat. No. 424
Adjustments 3
Length 4-1/2"
Capacity 1/2"



Cat. No. 426
Adjustments 5
Length 6-1/2"
Capacity 7/8"



Cat. No. 430
Adjustments 7
Length 10"
Capacity 2"



Cat. No. 440
Adjustments 7
Length 12"
Capacity 2-1/4"



Cat. No. 442
Adjustments 7
Length 12"
Capacity 2-1/4"



Cat. No. 460
Adjustments 8
Length 16"
Capacity 4-1/4"

LONG NOSE PLIERS


SLENDER, PERFECTLY MATED JAWS WITH NO SIDE WOBBLE PROVIDE A FIRM GRIP ON FINE WORK IN TIGHT PLACES. SHARP, HAND HONED SIDE CUTTER ON SOME STYLES. BEAUTIFUL, HIGH POLISHED FINISH. CHANNELLOCK BLUE™ DIPPED PLASTIC COMFORT GRIPS.



Cat. No. 317
Side Cutter
Length 7-1/2"



Cat. No. 318
Side Cutter
Length 7-1/2"



This catalog contains items that we regularly stock. . . but we add new products all the time!

If you can't find what you need - Ask your Kass Representative!

ANCHORING

POWER TOOLS & ACCESSORIES


CONTRACTOR SUPPLY

DRYWALL SUPPLY & HAND TOOLS

ADHESIVES & SEALANTS

AIR & GAS NAILERS

FASTENERS



WISE-GRIP® PLIERS - CLAMPS - SNIPS

CURVED JAW LOCKING PLIERS WITH WIRE CUTTER

- Convenient wire cutter cuts up to a 1/4" bolt
- Involute jaw curve permits user to put tremendous pressure on four points of any style nut or bolt head



Description	Size	Jaw Adjustment
10WR®	10"	0 - 1-7/8"
7WR®	7"	0 - 1-5/8"
5WR®	5"	0 - 1-1/4"
4WR	4"	0 - 15/16"

CURVED JAW LOCKING PLIERS

- Involute jaw curve permits user to put tremendous pressure on four points of any style nut or bolt head



Description	Size	Jaw Adjustment
10CR®	10"	0 - 1-7/8"
7CR®	7"	0 - 1-5/8"

STRAIGHT JAW LOCKING PLIERS

- Straight jaws allow for maximum contact on flat, square or hex work
- Very popular in welding and other metal work
- Use for safer grinding or as a portable vise



Description	Size	Jaw Adjustment
10R®	10"	0 - 1-5/8"
7R®	7"	0 - 1-1/8"

LONG NOSE LOCKING PLIERS

- Convenient wire cutter cuts up to a 1/4" bolt
- Long, straight nose allows for use in narrow spaces not reachable by curved or straight jaws



Description	Size	Jaw Adjustment
9LN®	9"	0 - 2-7/8"
6LN®	6"	0 - 2-1/4"
4LN	4"	0 - 1-5/8"

LOCKING CLAMPS WITH REGULAR TIPS

- Locks work with the squeeze of one hand
- High-grade alloy steels heat treated for maximum toughness and durability



Description	Size	Jaw Adjustment
18R®	18"	0 - 8"
11R®	11"	0 - 4"
6R®	6"	0 - 2"

LOCKING SPECIALTY TOOLS

LOCKING WELDING CLAMP

- Holds work in proper alignment
- U-shaped jaws for visibility and working space



Description	Size	Jaw Width	Throat Depth
9R®	9"	2-3/4"	1-5/8"

LOCKING SHEET METAL TOOL

- Locks to work, eliminates hand gripping
- Makes bending, forming and crimping jobs easier



Description	Size	Jaw Width	Throat Depth
8R®	8"	3-1/8"	1-3/4"

QUICK-GRIP®

STANDARD BAR CLAMPS

- Can't over tighten
- Squeezing the pistol grip handle, the user can micro-adjust the clamp
- Provides quick and easy one-handed clamping



Cat. No.	Max. Jaw Opening Cap.	Throat Depth Cap.
506QC	6"	3-1/4"
512QC	12"	3-1/4"
518QC	18"	3-1/4"
524QC	24"	3-1/4"
536QC	36"	3-1/4"

PROSNIP® AVIATION SNIPS



- Cuts Straight and Wide Curves
- UNIQUE ADJUSTABLE LAP SETTING DISK
- Allows the user to adjust the length of cut
- Overlap for extra bite, underlap for notch-free cutting
- Numbering system for cutting consistency
- SERRATED EDGES
- Give a positive hold on work while cutting without distorting the edge of the metal being cut



No.	Size	Length of Cut	Grip Color	Maximum Cutting Capacity	
				Cold-Roll Steel	Stainless Steel
2073113	10"	1-3/16"	Yellow	18 ga.	22 ga.

ANCHORING

POWER TOOLS & ACCESSORIES

CONTRACTOR SUPPLY

DRYWALL SUPPLY & HAND TOOLS

ADHESIVES & SEALANTS

AIR & GAS NAILERS

FASTENERS

MAMARONECK

New York

Ph: 914-777-3245

Fx: 914-777-3875

ISLANDIA

Long Island

Ph: 631-234-0740

Fx: 631-234-0686

BENSALEM

Pennsylvania

Ph: 215-244-1545

Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS



LOCKJAW® SELF ADJUSTING LOCKING PLIERS AND CLAMPS

- Simple one-handed use
 - Jaws self-adjust to any size and grab without adjusting
 - Set & Forget™
- Set desired clamp pressure, from slight to extreme, and jaws self-adjust to any size with equal grip pressure.



10100 10" Curved Jaw



09300 7" Needle Nose



06200 7" C-Clamp



10200 11" C-Clamp



06201 7" C-Clamp w/ Swivel Pads



10201 11" C-Clamp w/ Swivel Pads



KASS

INDUSTRIAL SUPPLY CORP.

JOB SITE SERVICE

**WE'RE ALWAYS READY
TO GO THE EXTRA MILE TO
PROVIDE PROMPT AND COURTEOUS
SERVICE OF THE HIGHEST QUALITY**

WHEN YOU NEED US . . . WE'LL BE THERE!

ANCHORING

POWER TOOLS
& ACCESSORIES


CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS



Wiss® SNIPS

METALMASTER® COMPOUND ACTION SNIPS



M1R - LEFT CUT

M1R CUTS LEFT FROM TIGHT CURVES TO STRAIGHT

Cat. No.	Grip Color	Length	Length Of Cut	Recommended Max. Capacity Low Carbon Cold Rolled Steel	Shelf Pack
M1R	Red	9-3/4"	1-3/8"	18 Gauge Steel (0.049")	6



M2R - RIGHT CUT

M2R CUTS RIGHT FROM TIGHT CURVES TO STRAIGHT

Cat. No.	Grip Color	Length	Length Of Cut	Recommended Max. Capacity Low Carbon Cold Rolled Steel	Shelf Pack
M2R	Green	9-3/4"	1-3/8"	18 Gauge Steel (0.049")	6



M3R - STRAIGHT CUT

M3R CUTS STRAIGHT OR WIDE CURVES LEFT OR RIGHT IN LIGHT STOCK

Cat. No.	Grip Color	Length	Length Of Cut	Recommended Max. Capacity Low Carbon Cold Rolled Steel	Shelf Pack
M3R	Yellow	9-3/4"	1-1/2"	18 Gauge Steel (0.049")	6



METALMASTER® BULLDOG SNIPS M5R

M5R FOR NOTCHING OR TRIMMING EXTRA HEAVY STOCK

Cat. No.	Grip Color	Length	Length Of Cut	Recommended Max. Capacity Low Carbon Cold Rolled Steel	Shelf Pack
M5R	Red	9-1/4"	7/8"	16 Gauge Steel (0.65")	6

INDUSTRIAL STRAIGHT PATTERN SNIPS



- Used for straight cuts and wide curves when trimming light gauge stock
- Blades individually hand edged for maximum cutting efficiency
- Flat face guides tool along straight line
- Blades of finest quality steel, hot drop-forged for sharp edge and long life
- Shelf pack 1

Cat. No.	Length	Of Cut	Recommended Max. Capacity Low Carbon Cold Rolled Steel
W10	11"	2-1/2"	21 Gauge (0.032")
W9	12-1/2"	7"	20 Gauge (0.035")
W8	13-1/2"	3-1/2"	19 Gauge (0.042")
W7	14-1/2"	4"	18 Gauge (0.049")

BULLDOG PATTERN SNIPS



- Cushion handle for comfort and better grip
- Bulldog snips provide greater cutting power
- For notching nibbling and chopping heavy stock
- Blades individually hand edged for maximum cutting efficiency
- Shelf pack 1

Cat. No.	Length	Of Cut	Recommended Max. Capacity Low Carbon Cold Rolled Steel
W5	16-1/2"	2-1/2"	16 Gauge (0.065")

ANCHORING

POWER TOOLS
& ACCESSORIES

CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS

MAMARONECK

New York

Ph: 914-777-3245

Fx: 914-777-3875

ISLANDIA

Long Island

Ph: 631-234-0740

Fx: 631-234-0686

BENSALEM

Pennsylvania

Ph: 215-244-1545


Fx: 215-244-1082

**DRYWALL SUPPLY
& HAND TOOLS****H.K.Porter®****HAND OPERATED CUTTERS
INDUSTRIAL GRADE - CENTER CUT CUTTERS**

- General plant maintenance tool
- Drop-forged, precision ground, alloy tool steel jaws with center-cut blades
- Lockplate keeps jaws from loosening
- Cuts soft, medium, or hard materials
- Maximum hardness of material to be cut: Brinell 455/Rockwell C48
- Toggle joints turn 50 lbs. hand pressure to 4000 lbs. cutting pressure
- Screw-type adjustment realigns edges
- Steel handles with rubber grips



Cat. No.	Approx. Weight Lbs.	Length	Soft And Medium Hard Materials (Up to Brinell 300, Rockwell C31)	Hard Materials (Up to Brinell 455, Rockwell C48)	Replacement Cutterhead Cat. No.
1490MC	2-3/4	14"	5/16"	3/16"	1413C
0090MC	3-1/2	18"	3/8"	1/4"	0013C
0190MC	5-1/4	24"	7/16"	5/16"	0113C
0290MC	8-1/2	30"	1/2"	3/8"	0213C
0390MC	12-7/8	36"	9/16"	7/16"	0313C
0590MC	17-1/8	42"	11/16"	1/2"	0513C




END VIEW

SHEAR TYPE CABLE CUTTERS

- For wire rope to 3/4"
- Screw-type adjustment realigns edges
- Notched, shear-cut blades hold and lock cable in cutting position
- Toggle joints turn 50 lbs. hand pressure to 4000 lbs. cutting pressure
- Cuts steel cable, coarse- or fine-stranded cable, or wire rope with minimal distortion



Cat. No.	Approx. Weight Lbs.	Length	Wire Roper	Hard Stainless Steel Cable	Aircraft Cable	Replacement Cutterhead Cat. No.
1490MTN	2-3/4	14"	1/4"	1/4"	1/4"	1413TN
0190MTN	5	24"	3/8"	3/8"	3/8"	0113TN
0390MTN	12	36"	5/8"	5/8"	5/8"	0313TN
0590MTN	17	42"	3/4"	3/4"	3/4"	0513TN



END VIEW

CAN'T FIND WHAT YOU'RE LOOKING FOR?


CALL US AND REQUEST ANY OF OUR COMPLETE MANUFACTURERS CATALOGS.

THEY'RE FREE FOR THE ASKING!

ANCHORING

POWER TOOLS
& ACCESSORIESCONTRACTOR
SUPPLYDRYWALL SUPPLY
& HAND TOOLSADHESIVES
& SEALANTSAIR & GAS
NAILERS

FASTENERS



ANCHORING

POWER TOOLS
& ACCESSORIES



STAPLERS - RIVETING TOOL - STAPLES

**PROFESSIONAL
HEAVY DUTY
STAPLE GUN**

- All steel construction with chrome finish
- Patented jam-proof mechanism with hardened steel working parts
- Loads one full strip (85) #T50® staples of .050 wire in 6 sizes. 1/4", 5/16", 3/8", 1/2", 9/16" and 17/32" Ceiltile®.



Cat. No.	Wgt. Per Box	Qty. Per Box
T50®	2 lbs. ea.	1

**STAPLE GUN
CENTER DRIVE**

- Exclusive on/off safety trigger lock
- Trigger-squeeze speed & ease of operation
- Lightweight, compact, extremely well balanced for tireless use
- Used by building contractors, do-it-yourselfers and specialty trade applicators for tacking insulation, ceiling tile, window screening, upholstery, carpet padding, fence wire, cornerite and other jobs
- Uses 6 T50® staple sizes: 1/4", 5/16", 3/8", 1/2", 9/16" and 17/32" Ceiltile®.



Cat. No.	Wgt. Per Box	Qty. Per Box
ET50™	2-1/2 lbs. ea.	1

CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS

**HEAVY DUTY
AUTOMATIC HAMMER TACKER**

- Strikes like a hammer; automatically drives a staple with each blow
- Widely used for fastening insulation, building papers, roofing felt, batt foil, upholstery, carpet underlayment, etc.
- All steel construction with chrome finish
- Takes two full strips (170) T50 staples in three sizes: 5/16", 3/8" and 1/2"



Cat. No.	Wgt. Per Box	Qty. Per Box
HT50™	2-1/4 lbs. ea.	1

**ELECTRO-MATIC®
FLUSH MOUNT
STAPLE & NAIL GUN**

- One piece solid steel base construction
- Exclusive on/off safety trigger lock
- Patented jam-proof mechanism
- Hand-contoured handle grip for comfort
- Flush front, gets into tight corners
- Compact design, perfect balance
- Trigger-squeeze speed and ease of operation



Cat. No.	Description
ETF50BN™	Electric Staple & Nail Gun

CORDLESS STAPLE GUN KIT

- Advanced 10.8 volt lithium ion battery technology
- Ultra bright LED with precision staple placement
- Easy view staple supply window
- Holds 2 full rows of T50® staples
- Easy release drop in loading channel for staples
- Built-in safety that prevents accidental firing
- Kit Includes: Battery and Charger

Cat. No.	Description
CT50K™	Cordless Staple Gun Kit



PROFESSIONAL RIVET TOOL

- All Steel construction
- Comfortable vinyl grip
- Spring-loaded handle for easy rivet loading and ejection
- Locks when not in use
- 4 nose pieces with wrench



Cat. No.	Description
RH200S™	Professional Riveting Tool

T50® STAPLES

- 3/8" Crown Width x .050 Wire
- 1,250 Staples Per Pack
- Also Available in Stainless and Monel

Cat. No.	Length
50424	1/4"
50524	5/16"
50624	3/8"
50824	1/2"
50924	9/16"
50CT24	Ceiltile™ 17/32"

MAMARONECK

New York

Ph: 914-777-3245

Fx: 914-777-3875

ISLANDIA

Long Island

Ph: 631-234-0740

Fx: 631-234-0686

BENSALEM

Pennsylvania

Ph: 215-244-1545

Fx: 215-244-1082

**DRYWALL SUPPLY
& HAND TOOLS****3/8" DRIVE SOCKETS AND ACCESSORIES****6 POINT
STANDARD LENGTH SOCKETS**

Cat. No.	in.	in.
5208H	1/4"	1-1/16"
5210H	5/16"	1-1/16"
5212H	3/8"	1-1/16"
5214H	7/16"	1-1/16"
5216H	1/2"	1-1/8"
5218H	9/16"	1-1/8"
5220H	5/8"	1-1/8"
5222H	11/16"	1-1/8"
5224H	3/4"	1-3/16"
5226H	13/16"	1-3/16"
5228H	7/16"	1-5/16"
5230H	15/16"	1-5/16"
5232H	1"	1-3/8"

**12 POINT
DEEP LENGTH SOCKETS**

Cat. No.	in.	in.
5012	3/8"	2-1/8"
5014	7/16"	2-1/8"
5016	1/2"	2-1/8"
5018	9/16"	2-1/8"
5020	5/8"	2-1/8"
5022	11/16"	2-5/32"
5024	3/4"	2-5/32"
5026	13/16"	2-17/32"
5028	7/16"	2-17/32"
5030	15/16"	2-17/32"
5032	1"	2-17/32"

**6 POINT
DEEP LENGTH SOCKETS**

Cat. No.	in.	in.
5008H	1/4"	2-1/8"
5010H	5/16"	2-1/8"
5012H	3/8"	2-1/8"
5014H	7/16"	2-1/8"
5016H	1/2"	2-1/8"
5018H	9/16"	2-1/8"
5020H	5/8"	2-1/8"
5022H	11/16"	2-1/8"
5024H	3/4"	2-5/32"
5026H	13/16"	2-17/32"
5028H	7/8"	2-17/32"

**12 POINT
UNIVERSAL SOCKETS**

Cat. No.	in.	in.
5273	3/8"	1-3/4"
5274	7/16"	1-3/4"
5275	1/2"	1-7/8"
5276	9/16"	1-7/8"
5277	5/8"	2"
5278	11/16"	2-5/32"
5279	3/4"	2-7/32"

**6 POINT
UNIVERSAL SOCKETS**

Cat. No.	in.	in.
5272H	5/16"	1-3/4"
5273H	3/8"	1-3/4"
5274H	7/16"	1-3/4"
5275H	1/2"	1-7/8"
5276H	9/16"	1-7/8"
5277H	5/8"	2"
5278H	11/16"	2-5/32"
5279H	3/4"	2-7/32"

**UNIVERSAL
JOINT**

Cat. No.	in.
5270	1-7/8"

**6 POINT
SPARK PLUG
SOCKETS**

Cat. No.	in.	in.	Rubber Insert
5020-50	5/8"	2-1/2"	5021-1
5026HPA	13/16"	2-1/2"	5026A

**STANDARD
SCREWDRIVER BITS**


Cat. No.	in.	in.	in.
5246	1/4"	.030"	2"
5240	5/16"	.040"	3-1/4"
5244	5/8"	.120"	1-1/32"




ANCHORING

POWER TOOLS
& ACCESSORIESCONTRACTOR
SUPPLYDRYWALL SUPPLY
& HAND TOOLSADHESIVES
& SEALANTSAIR & GAS
NAILERS

FASTENERS



3/8" DRIVE SOCKET ACCESSORIES EXTENSIONS



A. STANDARD

Cat. No.	Length	Cat. No.	Length
5259	1-3/4"	5261	8"
5260	3"	5262	6"
5260-06	6"	5263	17-3/16"

B. FLEXIBLE

Cat. No.	Length
5268	8-1/8"

C. FLEXIBLE DRIVER

Cat. No.	Length
5267	9-1/8"

D. RATCHET ADAPTER

Cat. No.	Length
5247	1-5/16"

E. RATCHET SPINNER

Cat. No.	Length
5251	1-1/4"

F. ADAPTERS

Cat. No.	Size	Length
5256	1/4" F x 3/8" M	1-5/16"
5253	3/8" F x 1/2" M	1-7/32"
5255	3/8" F x 1/4" M	1-1/16"
5254	1/2" F x 3/8" M	1-13/32"

G. STANDARD CROWFOOT WRENCHES

AVAILABLE IN SIZES 3/8"-1-3/8"

Cat. No.	Size	Length
4912	3/8"	1-13/64"
4914	7/16"	1-3/16"
4916	1/2"	1-5/16"
4918	9/16"	1-9/32"
4920	5/8"	1-1/2"
4922	11/16"	1-31/64"
4924	3/4"	1-41/64"
4926	13/16"	1-5/8"
4928	7/8"	1-19/32"
4932	1"	1-49/64"
4940	1-1/4"	2-5/32"
4944	1-3/8"	2-3/32"

I. SPEED HANDLE

Cat. No.	Length
5280	17"

STANDARD RATCHET CHROME FINISH

Cat. No.	Length
5249	7"

FLEX-HEAD RATCHET 180° ANGLE CHROME WITH 4° RATCHETING ANGLE

Cat. No.	Length
5257A	11"

HINGE HANDLE CHROME FINISH

Cat. No.	Length
5265	8-1/2"

1/4" DRIVE SOCKETS AND ACCESSORIES ARE AVAILABLE - PLEASE INQUIRE

PHILLIPS SCREWDRIVER BITS

Cat. No.	Size	Length
5241	No. 2	1-5/8"
5242	No. 3	1-5/8"
5243	No. 4	1-5/8"

HEX BITS

Cat. No.	Size	Length	Length	Length
4990-1/8	1/8"	1"	2-1/16"	4980RK
4990-5/32	5/32"	1"	2-1/16"	4981RK
4990-3/16	3/16"	1"	2-1/16"	4982RK
4990-7/32	7/32"	1"	2-5/32"	4984RK
4990-1/4	1/4"	1"	2-5/32"	4985RK
4990-5/16	5/16"	1"	2-1/4"	4987RK
4990-3/8	3/8"	1"	2-1/4"	4988RK

ANCHORING

POWER TOOLS & ACCESSORIES

CONTRACTOR SUPPLY

DRYWALL SUPPLY & HAND TOOLS

ADHESIVES & SEALANTS

AIR & GAS NAILERS

FASTENERS

MAMARONECK
New York

Ph: 914-777-3245
Fx: 914-777-3875

ISLANDIA
Long Island

Ph: 631-234-0740
Fx: 631-234-0686

BENSALEM
Pennsylvania

Ph: 215-244-1545
Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS



1/2" DRIVE SOCKETS AND ACCESSORIES

12 POINT STANDARD LENGTH SOCKETS

Cat. No.	in.	T-L	Cat. No.	in.	T-L
5412	3/8"	1-7/16"	5429	29/32"	1-9/16"
5414	9/16"	1-7/16"	5430	15/16"	1-9/16"
5416	1/2"	1-7/16"	5431	31/32"	1-9/16"
5418	9/16"	1-1/2"	5432	1"	1-9/16"
5419	10/32"	1-1/2"	5434	1-1/16"	1-5/8"
5420	5/8"	1-1/2"	5436	1-1/8"	1-3/4"
5421	21/32"	1-1/2"	5438	1-3/16"	1-3/4"
5422	11/16"	1-1/2"	5440	1-1/4"	1-3/4"
5424	3/4"	1-1/2"	5442	1-5/16"	1-7/8"
5425	25/32"	1-1/2"	5444	1-3/8"	2"
5426	13/16"	1-1/2"	5446	1-7/16"	2-1/8"
5428	7/8"	1-9/16"	5448	1-1/2"	2-1/4"



6 POINT STANDARD LENGTH SOCKETS

Cat. No.	in.	T-L	Cat. No.	in.	T-L
5412H	3/8"	1-7/16"	5428H	7/8"	1-9/16"
5414H	9/16"	1-7/16"	5430H	15/16"	1-9/16"
5416H	1/2"	1-7/16"	5432H	1"	1-9/16"
5418H	9/16"	1-1/2"	5434H	1-1/16"	1-5/8"
5422H	11/16"	1-1/2"	5436H	1-1/8"	1-3/4"
5424H	3/4"	1-1/2"	5438H	1-3/16"	1-3/4"
5426H	13/16"	1-1/2"	5440H	1-1/4"	1-3/4"



6 POINT METRIC STANDARD LENGTH SOCKETS

Cat. No.	in.	T-L	Cat. No.	in.	T-L
5410M	10	36.5	5422M	22	38.9
5411M	11	36.5	5423M	23	38.9
5412M	12	36.5	5424M	24	38.9
5413M	13	36.5	5425M	25	38.9
5414M	14	36.5	5426M	26	38.9
5415M	15	36.5	5427M	27	38.9
5416M	16	36.5	5428M	28	45.2
5417M	17	36.5	5429M	29	45.2
5418M	18	36.5	5430M	30	45.2
5419M	19	36.5	5432M	32	45.2
5420M	20	36.5	5436M	36	45.2
5421M	21	36.5			



**8 POINT SOCKETS
ARE AVAILABLE
CALL FOR SIZES**



12 POINT DEEP LENGTH SOCKETS

Cat. No.	in.	T-L	Cat. No.	in.	T-L
5316	1/2"	3-1/4"	5328	7/8"	3-1/4"
5318	9/16"	3-1/4"	5330	15/16"	3-1/4"
5320	5/8"	3-1/4"	5332	1"	3-1/4"
5322	11/16"	3-1/4"	5334	1-1/16"	3-1/4"
5324	3/4"	3-1/4"	5336	1-1/8"	3-1/4"
5326	13/16"	3-1/4"	5340	1-1/4"	3-1/4"



6 POINT DEEP LENGTH SOCKETS


Cat. No.	in.	T-L
5316H	1/2"	3-1/4"
5318H	9/16"	3-1/4"
5320H	5/8"	3-1/4"
5322H	11/16"	3-1/4"
5324H	3/4"	3-1/4"
5326H	13/16"	3-1/4"
5328H	7/8"	3-1/4"
5330H	15/16"	3-1/4"
5332H	1"	3-1/4"
5334H	1-1/16"	3-1/4"
5336H	1-1/8"	3-1/4"
5340H	1-1/4"	3-1/4"



ACCESSORIES



B Fed'l. Specs: GGG-M-641e
ANSI Spec. B107.10m



A. 12 POINT UNIVERSAL SOCKETS

Cat. No.	in.	T-L
5475	1/2"	2-3/16"
5476	9/16"	2-7/32"
5477	5/8"	2-11/32"

B. UNIVERSAL JOINT

Cat. No.	T-L
5470	2-5/8"

C. ADAPTERS

Cat. No.	F	M	T-L
5256	3/8"	1/2"	7/32"
5253	1/2"	3/8"	1-13/32"
5255	1/2"	3/4"	1-9/16"
5254	3/4"	1/2"	2-1/8"

D. HEAVY DUTY SCREWDRIVER BITS

Cat. No.	in.	in.	T-L
5444A	3/4"	.115"	1"
5446A	15/16"	.154"	1-11/32"

ANCHORING

POWER TOOLS
& ACCESSORIES


CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS




KASS
INDUSTRIAL SUPPLY CORP.

Headquarters
BRONX, NEW YORK
Ph: 718-299-6060 • Fx: 718-299-1593
Toll Free: 800-255-0910



1/2" DRIVE SOCKET ACCESSORIES



A. HINGE HANDLES - CHROME FINISH

Cat. No.	Length
5466	10-7/8"
5467	15-3/4"
5468	18-5/8"

C. SLIDING TEE HANDLE

Cat. No.	Length
5485	13"

D. EXTENSIONS

Cat. No.	Length
5460	2-1/2"
5461	5"
5463	10"
5464	20"
5465	36"


E. HEX BITS

Cat. No.	Hex Size	Length	Length	Length
5441-1/2	1/2"	1-1/2"	3-1/8"	5441-1/2RK
5441-9/16	9/16"	1-7/16"	3-1/4"	5441-9/16RK
5441-5/8	5/8"	1-7/16"	3-1/4"	5441-9/16RK

F. EXTRA LONG HEX BITS

Cat. No.	Hex Size	Length	Length	Length
5441-1/4XL	1/4"	3-1/8"	4-3/4"	5441-1/4XLRK
5441-5/16XL	5/16"	4-1/8"	5-3/4"	5441-9/16XLRK
5441-3/8XL	3/8"	4-1/8"	5-3/4"	5441-3/8XLRK
5441-1/2XL	1/2"	5-3/8"	7"	5441-1/2XLRK
5441-9/16XL	9/16"	5-1/8"	7"	5441-9/16RK
5441-5/8XL	5/8"	5-1/8"	7"	5441-9/16RK

STANDARD RATCHET



Cat. No.	Description
5449	10" Chrome Finish
5449RK	Repair Kit

G. METRIC HEX BITS

Cat. No.	Hex Size	Length	Length	Length
5441-12M	12	36.5	77.7	1412MRK
5441-14M	14	38.0	84.0	1414MRK
5441-17M	17	38.0	84.0	1417MRK

H. EXTRA LONG HEX BITS - METRIC

Cat. No.	Hex Size	Length	Length	Length
5441-12MXL	12	136.5	177.8	1412MXLRK
5441-14MXL	14	131.7	177.8	1414MXLRK
5441-17MXL	17	131.7	177.8	1417MXLRK

I. SPEED HANDLE

Cat. No.	Length
5480	18"

PULLERS & SEPARATORS THREE JAW GEAR PULLER 11"



Incorporates an automatic grip-tightening feature and is an economical choice for jobs where precision grip is not important. Forcing screws are forged from alloy steel and heat treated to the right combination of hardness and strength. Non-interchange series.

Cat. No.	Max. Spread	Max. Reach	Forcing Screw Lgt.	Thread	Rating
4038	11"	9"	9"	11/16"-18	7 Ton

GEAR AND BEARING SEPARATOR



Separator and Press-N-Pull™ 2-way Puller with medium and short legs. Used to press the pinion shaft out of a differential housing. Separator's extra long 13" threaded rods permit maximum separator plate spread - sufficient to straddle the differential housing and match the spread of Press-N-Pull™ slide blocks, extended to their maximum width along the crossarm.

Cat. No.	Description
4333A	Gear And Bearing Separator - 6" Capacity
4333N	Hex Nut, 3/4-16UNF-2B
4333P	Separator Plate, Size #3

ANCHORING

POWER TOOLS & ACCESSORIES

CONTRACTOR SUPPLY

DRYWALL SUPPLY & HAND TOOLS

ADHESIVES & SEALANTS

AIR & GAS NAILERS

FASTENERS

MAMARONECK
New York

Ph: 914-777-3245
Fx: 914-777-3875

ISLANDIA
Long Island

Ph: 631-234-0740
Fx: 631-234-0686


BENSALEM
Pennsylvania

Ph: 215-244-1545
Fx: 215-244-1082

DRYWALL SUPPLY & HAND TOOLS



COLD CHISELS



DESIGNED TO CUT ANY COLD METAL SOFTER THAN THE CHISEL ITSELF SUCH AS WROUGHT IRON, CAST IRON, STEEL, BRASS, BRONZE, COPPER, ALUMINUM, BOLTS, NUTS AND RIVETS

THE MOST WIDELY USED OF THE HAND HELD TYPE OF METAL CUTTING CHISELS

Cat. No.	A	B	┌─┐
86A 3/16	1/4"	3/16"	4-7/8"
86A 1/4	5/16"	1/4"	5-1/8"
86A 5/16	3/8"	5/16"	5-3/8"
86A 3/8	7/16"	3/8"	5-9/16"
86A 7/16	1/2"	7/16"	6"
86A 1/2	5/8"	1/2"	6-3/4"
86A 5/8	3/4"	19/32"	7"
86A 3/4 x 8	7/8"	23/32"	8"
86A 3/4 x 12	7/8"	23/32"	12"
86A 7/8 x 8	1"	13/16"	8"

DIAMOND POINT CHISELS

Used to cut V-grooves and clean out inside corners

76-1/4	5/32"	1/4"	4-1/2"
76-5/16	3/16"	5/16"	5"
76-3/8	1/4"	3/8"	5-5/8"
76-1/2	5/16"	1/2"	6"
76-5/8	3/8"	19/32"	6-1/2"

COLD CHISEL SET NO. 86C - 5 PIECE

Vinyl Pouch: 2430

86A-1/4	5/16"	1/4"	5-1/8"
86A-5/16	3/8"	5/16"	5-3/8"
86A-3/8	7/16"	3/8"	5-9/16"
86A-7/16	1/2"	1/2"	6"
86A-1/2	5/8"	5/8"	6-3/4"

COLD CHISEL SET NO. 86B - 7 PIECE

Vinyl Pouch: 2429

86A-1/4	5/16"	1/4"	5-1/8"
86A-5/16	3/8"	5/16"	5-3/8"
86A-3/8	7/16"	3/8"	5-9/16"
86A-7/16	1/2"	1/2"	6"
86A-1/2	5/8"	5/8"	6-3/4"
86A-5/8	3/4"	19/32"	7"
86A-3/4 x 8	7/8"	23/32"	8"

All Chisels Meet Fed'l. Specs.:
GGG-C-313C ANSI: B209.1

CHISELS - PUNCHES - PRY BARS

DRIFT PUNCHES



FOR INSTALLING AND REMOVING PINS AND SHAFTS USED WIDELY TO ALIGN HOLES IN TWO OR MORE PIECES OF METAL THROUGH WHICH A BOLT OR SCREW IS TO BE INSERTED

Cat. No.	A	B	┌─┐
96-1/4	3/32"	1/4"	10"
96-3/8	3/16"	3/8"	10"
96-1/2	1/4"	1/2"	10"
96-3/4	3/8"	23/32"	10"

STARTING PUNCHES

Designed for installing pins and rivets and for starting their removal

50-3/16	1/16"	3/16"	4-1/8"
50-5/16	1/8"	5/16"	5-1/8"
50-3/8	3/16"	3/8"	5-5/8"
50-7/16	7/32"	7/16"	6"

DRIVE PIN PUNCHES

Designed to drive out straight and tapered pins

47-1/4 x 1/16	1/16"	1/4"	4-3/4"
47-5/16 x 1/8	1/8"	5/16"	5-1/4"
47-5/16 x 5/32	5/32"	5/16"	5-1/2"
47-7/16 x 7/32	7/32"	7/16"	6-3/8"

CENTER PUNCHES

Widely used in metal work layout
Particularly useful for marking intersecting center lines, hole locations and pilot drill starting points

41-1/4	—	1/4"	4-1/4"
41-5/16	—	5/16"	4-5/8"
41-3/8	—	3/8"	4-7/8"
41-7/16	—	7/16"	5-1/4"
41-1/2	—	1/2"	5-5/8"
41-5/8	—	19/32"	6-1/4"

PRICK PUNCH

Used extensively in sheet metal layout work for scribing and for punching starting holes for sheet metal screws

44-1/4	—	1/4"	4-3/4"
--------	---	------	--------

ALIGNING PRY BARS

Can be used for countless prying, positioning and aligning jobs

2116	—	5/8"	16"
2120	—	7/8"	18"
2124	—	1"	24"
2125	—	1-1/16"	30"

PRY BAR SET - NO. 2100 - 4 PIECE

Includes one each 2120, 2124, 2126 and 2130

ANCHORING

POWER TOOLS
& ACCESSORIES


CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS



WRENCHES

NO. 1190A 5 PIECE RATCHETING BOX WRENCH SET



Contains one each of the following:

Cat. No.	┌─┐	
1193	1/2 x 9/16"	
1194	5/8 x 11/16"	
1195	3/4 x 7/8"	
2409	Vinyl Pouch	

ADJUSTABLE WRENCHES



CHROME FINISH

Cat. No.	┌─┐		Max.
704	4"		1/2"
706	6"		15/16"
708	8"		1-1/8"
710	10"		1-5/16"
712	12"		1-1/2"
715	15"		1-11/16"
718	18"		2-1/16"

Flared handle 4" thru 12" lengths
Tapered handle 15" and 18" lengths

RATCHET HEAD FOOT POUND TORQUE WRENCHES

10-80 ft. lb. thru 140-700 ft. lb./2.1
11.8 mkg thru 19.4 - 96.8 mkg



Cat. No.	Torque Range ft. lb.	Graduations ft. lb.	Torque Range mkg	Graduations Size	Drive Size	┌─┐
6006A	10-80	.5	2.1-11.8	.07	3/8"	16-7/16"
6012	20-100	.5	3.5-14.5	.07	3/8"	16-7/16"
6008A	10-80	.5	2.1-11.8	.07	1/2"	16-7/16"
6016	30-150	1	4.8-21.4	.14	1/2"	20-3/4"
6014	50-250	1	7.6-35.2	.14	1/2"	26-1/4"
6018A	60-300	2	10.4-43.6	.28	3/4"	32-11/16"
6020A	90-600	2	14.5-85.0	.28	3/4"	48"

DIAL TORQUE WRENCHES FOOT POUND / METER KILOGRAM

0-50 ft. lb. thru 0-2000 ft. lb. - 0-7 mkg thru 0-200 mkg



Cat. No.	Torque Range		Graduations		Drive Size	┌─┐
	English	Metric	English	Metric		
6134A*	0-350 ft. lb.	—	10 ft. lb.	—	3/4"	27-7/8"

*Includes protective blow molded box

DEFLECTING BEAM TORQUE WRENCH



Cat. No.	Torque Range		Drive Size	Overall Length
	English	Metric		
6075	0-150 ft. lb.	0-20mkg	1/2"	19"

OPEN END WRENCHES



15° ANGLE HEADS

Cat. No.	in.	B1	┌─┐	Cat. No.	in.	B1	┌─┐
3018	1/4 x 5/16"	.29"	4-1/2"	3039	3/4 x 7/8"	.89"	9-1/2"
3020	5/16 x 3/8"	.37"	5-1/8"	3040	13/16 x 7/8"	.97"	10-1/8"
3021	3/8 x 7/16"	.44"	5-3/4"	3045	15/16 x 1"	1.11"	11-3/8"
3025	7/16 x 1/2"	.52"	6-3/8"	3050	1-1/16 x 1-1/4"	1.27"	12-5/8"
3026	1/2 x 9/16"	.59"	7"	3051	1-1/16 x 1-1/4"	1.26"	13-9/16"
3030	9/16 x 5/8"	.67"	7-5/8"	3055	1-1/4 x 1-9/16"	1.48"	14-1/2"
3031	5/8 x 3/4"	.73"	8-9/16"	3060	1-3/8 x 1-7/16"	1.64"	15-3/4"
3033	19/32 x 11/16"	.73"	8-1/4"	3070	1-1/2 x 1-5/8"	1.78"	17"
3034	5/8 x 11/16"	.73"	8-1/4"	3080	1-7/8 x 1-13/16"	2.16"	20"
3035	11/16 x 3/4"	.81"	8-7/8"				

ANCHORING

POWER TOOLS
& ACCESSORIES

CONTRACTOR
SUPPLY

DRYWALL SUPPLY
& HAND TOOLS

ADHESIVES
& SEALANTS

AIR & GAS
NAILERS

FASTENERS

MAMARONECK

New York

Ph: 914-777-3245

Fx: 914-777-3875

ISLANDIA

Long Island

Ph: 631-234-0740

Fx: 631-234-0686

BENSALEM

Pennsylvania

Ph: 215-244-1545

Fx: 215-244-1082

**DRYWALL SUPPLY
& HAND TOOLS****WRIGHT TOOL****1/4" DRIVE SOCKET SET
NO. A21 - 13 PIECES**

Ideal for small engine tune up and general home use.

Includes nine regular length, 6 pt. sockets

(3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"), ratchet, two extensions (3" & 6"), spinner handle and metal box.

**3/8" DRIVE SOCKET SET
NO. A31 - 13 PIECES**

The perfect set for auto repair and home use. Nine 12 pt. sockets (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"), 5/8" spark plug socket, two extensions (3" & 6"), ratchet and metal box.

**1/2" DRIVE SOCKET SET
NO. A41 - 16 PIECES**

For heavier jobs.

Includes thirteen 12 pt. sockets

(7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4").


Two extensions (6", 10"), ratchet and metal box.

**3/8" DRIVE SOCKET SET
NO. A36 - 18 PIECES**

Includes thirteen 6 pt. sockets

(7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm).

5/8" spark plug socket, two extensions (3" & 6"), flex handle, ratchet and metal box.

GENERAL®**TAP WRENCHES****RATCHET**

- With sliding T-handle
- Holds taps, reamers, drills and other small tools
- Self-equalizing tool steel jaws and knurled chuck sleeve
- Individually boxed
- Replacement jaws available

Cat. No.	Tap Cap., Nos. and In.	Lgth., In.
160-R	No. 0 to No. 8	2-3/4
161-R	No. 0 to 1/4"	3-1/2
162-R	No. 12 to 1/2"	4-1/4

PLAIN

- Sliding T-handle
- Self-equalizing tool steel jaws and knurled chuck sleeve
- Individually boxed
- Replacement jaws available

Cat. No.	Tap Cap., Nos. and In.	Lgth., In.
163	No. 0 to No. 8	2-3/4
164	No. 0 to 1/4"	2-3/4
166	No. 12 to 1/2"	3-3/4

ANCHORING

POWER TOOLS
& ACCESSORIESCONTRACTOR
SUPPLYDRYWALL SUPPLY
& HAND TOOLSADHESIVES
& SEALANTSAIR & GAS
NAILERS

FASTENERS